

**FEATURES**

- Heavy duty formula
- Non-chlorinated
  
- Water conditioners

**BENEFITS**

- Removes tough, greasy soils
- Use for low-temp or high-temp applications
- Effective in most water hardness conditions

**RECOMMENDED USES**

For institutional low temperature or high temperature mechanical warewashing.

**SPECIFICATIONS**

<b>Color</b>	: Red	<b>pH use dilution</b>	: 11.0 - 13.0
<b>Scent</b>	: None	<b>Phosphorus content</b>	: 2.9%
<b>Character</b>	: Clear, non-viscous liquid	<b>Approvals</b>	: cRc
<b>Foam</b>	: Non-foamer		

**IMPORTANT**

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

**PRODUCT DIRECTIONS****EQUIPMENT TO USE**

Recommended dispensing system.

**DIRECTIONS TO USE**

**USE DILUTION:** Concentrations will vary due to environmental condition. Your sanitation specialist will adjust concentrations properly to meet your needs. **DO NOT USE ON ALUMINUM.**

**FOR LOW TEMPERATURE WAREWASHING:** 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using this product. 4. In rinse cycle, use a recommended rinse additive. 5. Sanitize using a recommended sanitizer at 50 ppm\*. Test using chlorine test papers or a liquid chlorine test kit. 6. Allow dishes to air dry.

**FOR HIGH TEMPERATURE WAREWASHING:** 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using this product. Maintain wash temperature at 150°-160°F. 4. In rinse cycle, use a recommended rinse additive. Maintain rinse temperature at 180°-190°F. 5. Allow dishes to air dry.

\* ppm = parts per million

**PACKAGING**

This product is available in 4/1 gallon cases (5764579) and 5 gallon pails (5626483).

