


Chlor-Bac

Powdered Chlorinated Sanitizer

Chlor-Bac is primarily designed for last tank bar glass sanitization, but is also effective on pots, pans, utensils and equipment. Chlor-Bac has a very low odor level which will leave glasses without a characteristic chlorine odor after sanitizing. It is an excellent rinser and leaves glassware sparkling.

Specifications	
Color	White
Scent/Odor	Slight chlorine
Character	Free flowing powder
Foam	Non-foamer
pH Use Dilution	6.5 - 9.0
Phosphorus Content	2.53%
Registrations	EPA

Pack Sizes	
057252	72/0.33 oz. portion packs



Directions For Use


Sanitizing Utensils and Glasses (for pouch use)

- 1. Pre-flush and/or scrape utensils and glasses where possible.
- 2. Wash in a recommended manual detergent.
- 3. Rinse with clean water.
- Sanitize in a solution of this pouch of Chlor-Bac to 3 1/2 gallons of water (100 *ppm). Check solution with chlorine test papers or a liquid chlorine test kit.
- Place sanitized utensils on a CLEAN, SANITIZED rail or drainboard to air dry. (*ppm means "parts per million" of available chlorine.)

Shake and Soft Serve Machines Cleaning Procedure

- Remove mix from the machine. If local health codes permit rerun, place mix in sanitized rerun container and store in refrigerated cooler.
- Rinse the interior of the machine (cylinder, feed tubes, etc.) by activating the "Wash" cycle and drawing through 2 gallons of lukewarm water. Repeat the rinsing procedure until the water runs clear. Turn the machine to the "Off" position.
- 3. Prepare a cleaning solution of Chlor-Bac by dissolving 1 packet in 3 1/2 gallons of lukewarm water.

- 4. Clean the interior of the machine by activating the "Wash" cycle and filling the cylinder and feed tubes with the cleaning solution. Turn the machine to the "Off" position. Brush clean the feed tube and inlet hole. With the cleaning solution in the cylinder, reactivate the "Wash" cycle and allow to remain on for 5 minutes.
- 5. Drain the solution from the machine. Turn machine to the "Off" position.
- Remove and completely disassemble all machine parts (door, blades, pump, etc.).
- 7. Brush wash all disassembled parts in a suitable detergent in a clean sink.
- 8. Rinse thoroughly under clean running water.
- 9. Sanitize parts by immersing for at least 1 minute in a fresh Chlor-Bac solution (1 packet dissolved in 3 1/2 gallons of lukewarm water).
- 10. Remove parts and allow to air dry.
- Repeat the cleaning procedure for machines with two freezing cylinders.



Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is available on our website at www.uschemical.com and is also available by scanning the QR code on the label.

