

Lime Off

Non-Foaming Lime Solvent

Lime Off is an acid detergent formulated to quickly remove lime and other mineral deposits from metal surfaces. Its non-foaming character allows its use in recirculation systems such as dishmachines. Special additives make it rinse free and clear from all metal surfaces. It can be used at any concentration, depending on the severity of the lime being removed.

Specifications	
Color	Straw
Scent/Odor	Acidic
Character	Clear, non-viscous liquid
Foam	Non-foamer
pH Use Dilution	1.5 - 3.0
Phosphorus Content	12.1%
Approvals	cRc

Pack Sizes	
5972175	4/1 gallon case



Directions For Use

Equipment: Abrasive pad or stiff brush, rubber gloves and chemical goggles.

Use Dilution: Use this product at 1-2 ounces per 3 gallons water for general lime control.

Initial Treatment:

- 1. Use 2-3 ounces per gallon of water.
- 2. Allow areas of heavy lime deposit to soak for several minutes.
- 3. Brush surface.

Dishmachine:

- 1. Drain, flush and clean out machine. Never add lime solvent to dishmachine containing warewashing detergent.
- 2. Close drain valve, fill tank(s) with hot water.
- 3. Add lime solvent at 4 ounces (1/2 cup) per each gallon of water.
- 4. Turn on pumps until lime can be brushed or flushed away.
- Drain tank and flush. Always use rubber gloves if product may contact hands.

NOTE: Do not use on aluminum.

Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is available on our website at www.uschemical.com and is also available by scanning the QR code on the label.

