

# Scale-Gon®

## HD Lime Solvent for General and Recirculation Lime Removal

Scale-Gon® is an acid blend designed for rapid lime and mineral soil removal. It provides quick penetration of lime soils and free rinsing for exceptional results. It is an excellent choice for the recirculation cleaning of dishmachines. This non-fuming acid concentrate may also be used to remove lime or mineral films on other kitchen equipment or utensils. It can be used at any concentration depending upon the severity of the lime being removed.

### Specifications

<b>Color</b>	Red
<b>Scent/Odor</b>	None added
<b>Character</b>	Clear, non-viscous liquid
<b>Foam</b>	Low
<b>pH Use Dilution</b>	1.5 - 3.0
<b>Phosphorus Content</b>	0.0%
<b>Approvals</b>	cRc

### Pack Sizes

<b>5998228</b>	4/1 gallon case
----------------	-----------------



### Directions For Use

**Equipment:** Abrasive pad or stiff brush.

Do not use on aluminum.

**Use Dilution:** Use this product at 1-2 ounces per 2 gallons of water for general lime control.

**Initial treatment:**

1. Use 2-3 ounces per gallon of water.
2. Allow areas of heavy lime deposits to soak for several minutes.
3. Brush surface.

**Dishmachine:**

1. Drain, flush and clean out machine. Never add lime solvent to dishmachine containing warewashing detergent.
2. Close drain valve, fill tank(s) with hot water.
3. Add lime solvent at 2/3-3/4 cup for each gallon of water.
4. Turn on pumps until lime can be brushed or flushed away.
5. Drain tank and flush. Always use rubber gloves when handling this product.

### Product Demo



Scan the QR code with your mobile device to view an instructional video featuring this product!

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is available on our website at [www.uschemical.com](http://www.uschemical.com) and is also available by scanning the QR code on the label.

